

**Pavers by Ideal®**
**Stones with Style™**

Traditional Pavers		W	L	H	PCS/SF	PCS/SECT	SF/SECT	PCS/CU	SF/CU	WT/CU
<b>Andover Collection™ *</b> Smooth and StoneCleft <sup>1</sup>		5.5"	11"	7 cm	3.8 sf/set	2/set	2 sets/layer	20 sets/cube	76	2425 lb SM 2370 lb SC
		11"	11"	7 cm		2/set				
		11"	16.5"	7 cm		1/set				
<b>Andover GrandStone™ *</b> Smooth and StoneCleft		16.5"	22"	7 cm	2.52 sf/pc	---	---	40	100.8	3235 lb SM 3100 lb SC
<b>Andover 5511™</b> Smooth and StoneCleft *		5.5"	11"	7 cm	2.38	---	---	240	100.84	3100 lb
<b>Boston Colonial Pavers®</b>		4"	8"	6 cm	4.5	81	18	486	108	2945 lb
		4"	8"	8 cm	4.5	63	14	378	84	3095 lb
<b>BrookStone™<sup>2</sup></b>		---	---	7 cm	Approx. 5.5	---	12 sf/layer	7 layers	84	1860 lb
<b>BullNose Coping™ Paver</b>		4"	12"	6 cm	3 pcs/lf	52	17.33 lf	156	52 lf	1410 lb
<b>Classic Retro™</b>		4.5"	6.5"	6 cm	4.63	72	15.6	432	93.3	2570 lb
<b>FineLine™</b>	Square	6.3"	6.3"	6 cm	3.62	54	14.9	378	104.42	2850 lb
	Grand Square	9.4"	9.4"	6 cm	1.61	36	22.4	180	111.8	3050 lb
	Lg. Rectangle	6.3"	9.4"	6 cm	2.42	54	22.3	270	111.57	3045 lb
<b>Plaza Pavers™</b>	8 x 8	8"	8"	6 cm	2.25	36	16	216	96	2625 lb
	12 x 12	12"	12"	6 cm	1	27	27	108	108	2945 lb
	12 x 12	12"	12"	8 cm	1	21	21	84	84	3095 lb
<b>Slate-Top Slab™</b>		18"	18"	2.25"	2.25 sf/pc	---	---	48	108	2680 lb
<b>StraightLine™ *</b>		4.3"	17.2"	10 cm	1.96	---	---	132	67.35	3070 lb
<b>Symetry®</b>	Master Stone	4.4"	11"	6 cm	3	63	21	252	84	2300 lb
	Square	6.3"	6.3"	6 cm	3.62	54	14.9	378	104.42	2850 lb
<b>Uni-Anchorlock®<sup>2</sup></b>		8.9"	8.9"	8 cm	2.41	---	11.02 sf/layer	186	77.2	2850 lb
<b>Uni-Decor®</b>	Full Stones	5.5"	9"	6 cm	3.5	72	20.6	360	102.86	2810 lb
		5.5"	9"	8 cm	3.5	56	16	280	80	2950 lb
<b>Yankee Cobble™</b>	Square	6.3"	6.3"	6 cm	3.62	54	14.9	378	104.42	2850 lb
	Grand Square	9.4"	9.4"	6 cm	1.61	36	22.4	180	111.8	3050 lb
	Lg. Rectangle	6.3"	9.4"	6 cm	2.42	54	22.3	270	111.57	3045 lb
	Med. Rectangle	4.8"	6.3"	6 cm	4.84	63	13	441	91.12	2525 lb
	Sm. Rectangle	3.1"	6.3"	6 cm	7.24	99	13.7	693	95.72	2640 lb
<b>Circle Pak<sup>3</sup></b>	Sm. Rectangle	3.1"	6.3"	6 cm	---	1/layer	---	6	64.32	1785 lb
	Med. Rectangle	4.8"	6.3"		---	20/layer	---	120		
	Sm. Wedge	---	---		---	29/layer	---	174		
	Lg. Wedge	---	---		---	3/layer	---	18		
	Center Stone	---	---		---	1/layer	---	6		
<b>Z-Stone™</b>		4.5"	9"	8 cm	3.62	56	15.5	280	77.35	2855 lb
<b>Drum-Roll Tumbled™ Pavers</b>		<b>W</b>	<b>L</b>	<b>H</b>	<b>PCS/SF</b>	<b>PCS/SECT</b>	<b>SF/SECT</b>	<b>PCS/CU</b>	<b>SF/CU</b>	<b>WT/CU</b>
<b>Georgetown Colonial Pavers™</b>		4"	8"	6 cm	4.5	81	18	486	108	2875 lb
<b>MillStone™</b>	Square	6.3"	6.3"	6 cm	3.62	54	14.9	378	104.42	2850 lb
	Grand Square	9.4"	9.4"	6 cm	1.61	36	22.4	180	111.8	3050 lb
	Lg. Rectangle	6.3"	9.4"	6 cm	2.42	54	22.3	270	111.57	3045 lb
	Med. Rectangle	4.8"	6.3"	6 cm	4.84	63	13	441	91.12	2525 lb
	Sm. Rectangle	3.1"	6.3"	6 cm	7.24	99	13.7	693	95.72	2640 lb
<b>Circle Pak<sup>3,4</sup></b>	Sm. Rectangle	3.1"	6.3"	6 cm	---	Bulk Crated	---	6	64.32	1785 lb
	Med. Rectangle	4.8"	6.3"		---		120			
	Sm. Wedge	---	---		---		174			
	Lg. Wedge	---	---		---		18			
	Center Stone	---	---		---		6			
<b>Newport Cobble™</b>	Rectangle	4.5"	6.5"	6 cm	4.63	72	15.6	432	93.3	2570 lb
<b>Town N' Country™</b>	Square	6.3"	6.3"	6 cm	3.62	54	14.9	378	104.42	2850 lb
	Grand Square	9.4"	9.4"	6 cm	1.61	36	22.4	180	111.8	3050 lb
	Lg. Rectangle	6.3"	9.4"	6 cm	2.42	54	22.3	270	111.57	3045 lb
<b>Permeable Pavers</b>		<b>W</b>	<b>L</b>	<b>H</b>	<b>PCS/SF</b>	<b>PCS/SECT</b>	<b>SF/SECT</b>	<b>PCS/CU</b>	<b>SF/CU</b>	<b>WT/CU</b>
<b>Aqua-Bric®</b>		4"	8"	6 cm	4.5	81	18	486	108	2750 lb
<b>Aqua-Bric IV®<sup>2</sup></b>		4.5"	9"	8 cm	3.55	---	11.25 sf/layer	7 layers	78.75	2700 lb
<b>Turfstone™</b>	65 lb/pc	24"	16"	8 cm	2.6 sf/pc	14	36.4	56	145.6	3480 lb
	76 lb/pc	24"	16"	10 cm	2.6 sf/pc	---	---	40	104	2910 lb
<b>Uni Eco-Stone®</b>		4.5"	9"	8 cm	3.55	56	15.8	280	78.87	2820 lb
<b>Andover Collection™ &amp; 5511™ - All Styles</b>		See above								

Approximate weights: 6 cm - 27 lb/sf • 7 cm - 32 lb/sf • 8 cm - 36.5 lb/sf

- Weight per cube is approximate and includes the pallet
- 1: Andover Collection is sold by the set
- 2: BrookStone, Uni-Anchorlock and Aqua-Bric IV are sold by the layer
- 3: Yankee Cobble and MillStone Circle Paks are sold by the pallet
- 4: MillStone Circle Pak is bulk crated

## Pavers by Ideal®

## Walls with Style™

Name		H	W	D	PCS/SF	WT/PC	PCS/CU	SF/CU	WT/CU
Ancestral™ WallStone	3" high set	3"	16/14"	10"	.83 sf/set 1.2 sets/sf	95/set	30 sets per/cu	25	2900 lb
		3"	14/12"	10"					
		3"	12/10"	10"					
	6" high set	6"	16/14"	10"	1.66 sf/set .6 sets/sf	160/set	15 sets per/cu	25	2400 lb
		6"	14/12"	10"					
		6"	12/10"	10"					
Fat Face™	Standard Unit	8"	18"	11.25"	1	80	45	45	3600 lb
Fat Face™ - 2/3 Scored	2 Scored /1 Standard	8"	18"	11.25"	3sf/3pc set	80	15 sets/cu	45	3600 lb
GravityStone®	Split-Face Unit	8"	18"	6"	1	59	64	64	3800 lb
	Tumbled-Face Unit	8"	18"	6"	1	56	64	64	3600 lb
	Trunk Unit	8"	24"	4"	---	55	64	---	3550 lb
	Anchor/Junction Unit	8"	12"	5"	---	30	96	---	2915 lb
	Corner Unit (Reversible)	8"	15"	6"	---	52	60	---	3150 lb
Olde Boston™ Wall		4"	12"	8"	3.1	28	108	34.8	3060 lb
Pisa 2°	Stretcher	6"	8"	12"	3	43	80	26.7	3450 lb
	Stretcher Cap Tapered	6"	8"	12"	1.5/lf (3/sf)	43	80	53.3 lf /26.7sf	3450 lb
	Half Unit	6"	4"	12"	6	22.5	120	20	2700 lb
	Corners - Right & Left	6"	8"	12"	---	33	80	---	2675 lb
Roman Pisa®	Stretcher	6"	8"	12"	3	42	80	26.7	3350 lb
	Stretcher Cap Tapered	6"	8"	12"	1.5/lf (3/sf)	42	80	53.3 lf /26.7sf	3350 lb
	Half Unit	6"	4"	12"	6	22	120	20	2650 lb
	Corner Unit (Reversible)	6"	8"	12"	---	32	80	---	2595 lb
	Jumbo Unit	6"	12"	8"	2	32	80	40	2595 lb
Stonewall™	Curved-Face Stretcher	8"	12"	12"	1.5	50	75	50	3800 lb
	Straight-Face Stretcher	8"	12"	12"	1.5	54	75	50	4100 lb
	Corner Unit (Reversible)	8"	6"	12"	---	37	72	---	2700 lb
	Tumbled Straight-Face Stretcher	8"	12"	12"	1.5	54	75	50	4100 lb
	Tumbled Corner Unit (Reversible)	8"	6"	12"	---	37	72	---	2700 lb

## Pavers by Ideal®

## Coping with Style™

Name		H	W	D	LF/PC	WT/PC	PCS/CU	LF/CU	WT/CU
Ancestral™ Coping	Paired set	3.63"	16/13"	13"	2.16 lf/pr	98.5/set	36 pairs	77.8 lf/23.6 sf	3590 lb
		3.63"	13/10"	13"					
Roman Pisa® Coping		3.63"	16"	13"	1.33	61	63	84	3910 lb
Universal Coping Stone		3.63"	16"	13"	1.33	61	63	84	3910 lb
CastStone™ RockFace Coping		3"	48"	24"	4	300	6	24	1800 lb
		3"	24"	14"	2	95	24	48	2330 lb

## Pavers by Ideal®

## Steps with Style™

Name		STYLE	RISE	SIZE	WT/PC	PCS	WT/PALLET
Chelmsford™ Step		---	7"	4' x 15"	475	8	3800 lb
Rockport™ Step Collection	Pallet 1	Step C	5.5"	4' x 1'6"	410	8	3280 lb
	Pallet 2	Step D	5.5"	4'6" x 2'	415	8	3350 lb
	Pallet 3	Step A	7"	3'6" x 1'6"	350	8	2800 lb
	Pallet 4	Step C	7"	4' x 1'6"	510	8	4096 lb
	Pallet 5	Step D	7"	4'6" x 2'	565	8	4520 lb
	Pallet 6	Step F	7"	5' x 1'6"	600	8	4800 lb

• All product sizes are modular based on mold manufacturers' dimensions. Metric sizes have been soft converted to U.S. measurements.

• Square foot coverage of pavers includes allowance for joint sand or stone.

**Please contact our Sales Office or your Authorized Dealer for Availability, Pricing, Set-up Charges, Terms and Conditions, and Product Specifications.**

**Product offerings may change during the year. Please visit [www.IdealConcreteBlock.com](http://www.IdealConcreteBlock.com) for the most up-to-date Color and Product Packaging Directory information.**

• Boston Colonial Pavers, Georgetown Colonial Pavers, Yankee Cobble, MillStone, FineLine, Town N' Country, Newport Cobble, Andover Collection, Andover 5511, StraightLine Plank, BrookStone, Classic Retro, ScapeStone, Olde Boston, Ancestral WallStone and Coping, CastStone, Slate-Top Slab, CurbStone Edging and Chelmsford Step are trademarks of Ideal Concrete Block Co.

• Ideal is contracted to produce a number of products under exclusive license agreements: Uni-Deco, Uni-Anchordock, Eco-Stone, are registered trademarks of F. von Langsdorff Lic. Ltd.

• Symetry is a registered trademark of Symrah Licensing, Inc. • Pisa2 and Roman Pisa are registered trademarks of Risi Stone Systems

• Stonewall, GravityStone, Fat Face and Fat Face 2/3 Scored are registered trademarks of Westblock Products, Inc. • Pave-Edge is a registered trademark of Pave Tech, Inc. • Snap-Edge is a trademark of SEK-Surebond

• Aqua-Bric is a registered trademark of Advanced Pavement Technology, Inc.

## Pavers by Ideal®

## Garden Products & Outdoor Living

Garden Products/Precast	H	W	D	COVERAGE	WT/PC	PCS/CU	SF/CU	WT/CU
CurbStone™ Edging	8"	12"	4"	1/lf	25	90	90 lf	2280 lb
Chelmsford™ Pillar Cap (Crowned*)	24"	24"	3" (+2"*)	---	160	8	---	1305 lb
Carlisle™ Pillar Cap	24"	24"	3"	---	148	11	---	1655 lb
Outdoor Living Kits	H	W	D	COVERAGE	WT/PC	PCS/CU	ROWS/CU	WT/CU
ScapeStone™ FP Block	4"	12"	6"	11/course	20	110	10 rows	2235 lb
ScapeStone™ XL Block	4"	12 3/8"	6 1/4"	14/course	22	126	10 rows	2850 lb
Ring-n-Grate	8"	---	30"	Grates 500 sq in.	67	---	---	---
Round Ring without Grate	FP 8"	---	30"	---	34	---	---	---
	XL 8"	---	44"	---	50	---	---	---
Square Ring without Grate	8"	28"	28"	---	35	---	---	---
CastStone™ Square Fire Pit Coping	3" h x 10" w x 38.5" l			4 pcs/set	94	12	3 sets/cu	1155 lb
CastStone™ Round Fire Pit Coping	FP 3" h x 7" w x 44.5" o.d.			3 pcs/set	55	12	2 sets/cu	375 lb
	XL 3" h x 7 1/2" w x 60" o.d.			4 pcs/set	80	8	2 sets/cu	695 lb
Patio Table - 32.5" High	POSITION			COURSES	QUANTITY	SIZE	HEIGHT/SEC	WEIGHT
Square Top	---			---	1	36" x 36"	2.375"	234 lb
Olde Boston™ Wall	Horizontal			4	16	4" x 8" x 12"	16"	448 lb
	Vertical			1	8	4" x 8" x 12"	12"	224 lb
Pub Tables	POSITION			COURSES	QUANTITY	SIZE	HEIGHT/SEC	WEIGHT
41" High CastStone™ Octo Top	---			---	1	42" dia.	3"	318 lb
Foot Rest	---			---	1	28.5" x 28.5"	2.25	121 lb
Olde Boston™ Wall	Horizontal			6	24	4" x 8" x 12"	24"	672 lb
	Vertical			1	8	4" x 8" x 12"	12"	224 lb
45" High CastStone™ Octo Top	---			---	1	42" dia.	3"	318 lb
Foot Rest	---			---	1	28.5" x 28.5"	2.25	121 lb
Olde Boston™ Wall	Horizontal			7	24	4" x 8" x 12"	28"	784 lb
	Vertical			1	8	4" x 8" x 12"	12"	224 lb
41" High CastStone™ Square Top	---			---	1	36" x 36"	2.375"	234 lb
Foot Rest	---			---	1	28.5" x 28.5"	2.25	121 lb
Olde Boston™ Wall	Horizontal			6	24	4" x 8" x 12"	24"	672 lb
	Vertical			1	8	4" x 8" x 12"	12"	224 lb
45" High CastStone™ Square Top	---			---	1	36" x 36"	2.375"	234 lb
Foot Rest	---			---	1	28.5" x 28.5"	2.25	121 lb
Olde Boston™ Wall	Horizontal			7	24	4" x 8" x 12"	28"	784 lb
	Vertical			1	8	8" x 12"	12"	224 lb

The CastStone™ Round and Square Fire Pit Coping, RockFace Wall Coping, Slate-Top Slab, Octo & Square Tops, Counter and Foot Rest should be handled with care during transport and assembly. Adequate manpower is required to lift and set in place.

A construction-grade retaining wall adhesive, such as SRW® brand, is required for construction.

## Natural Stone by Ideal®

## Granite with Style™

Granite Cobblestones	SIZE	PCS/CU	WT/PC	WT/CU	GREY	BLACK	PINK	YELLOW
Jumbo	10" x 7" x 4"	105	27.6	2900	✓	✓	✓	✓
Regular	9" x 5" x 5"	150	17.6	2650	✓	✓	✓	✓
Cube	4" x 4" x 4"	500	5	2500	✓	✓	✓	✓
Footlong	6" x 12" x 3"	140	18	2520	✓			
Landscape	8" x 4" x 4"	250	10	2500	✓			

Weights are approximate.

## Pavers by Ideal®

## Accessories

Product Name			
Geogrid	Universal 4 ft x 50 ft	3 Series 6 ft x 150 ft	5 Series 6ft x 150 ft
Landscape Fabric - SB3 - 3 oz	3 ft x 50 ft roll	6 ft x 100 ft roll	12 ft x 300 ft roll
Soil Stabilization - SS5	6 ft x 100 ft roll	12.5 ft x 432 ft roll	12.5 ft x 27 ft roll folded (8 per box)
SRW™ Concrete Adhesive	10 oz	12 tubes/case	64 cases/pallet
SRW™ Concrete Adhesive	28 oz	12 tubes/case	44 cases/pallet
PaveEdge® Industrial	10 ft/pc	120 lf/12 pcs/carton	Special Order
Snap Edge™	8 ft/pc	192 lf/24 pcs/bundle	672 pcs/5376 lf/pallet
PICP Fabric	6 x 100 ft	12 x 300 ft	

Pavers		GB	BHB	AB	HB	QB	VB	CR	C	P	CB	OG	RIB
Andover Collection™ Smooth*	7 cm									◆	◆	◆	◆
Andover Collection™ StoneCleft*	7 cm										◆	◆	◆
Andover™ GrandStone Smooth*	7 cm									◆	◆	◆	◆
Andover™ GrandStone StoneCleft*	7 cm										◆	◆	◆
Andover 5511™ StoneCleft*	7 cm								◆	◆	◆	◆	◆
Andover 5511™ Smooth*	7 cm								◆	◆	◆	◆	◆
Aqua-Bric®	6 cm		◆			◆	◆						
Aqua-Bric IV®	8 cm												
Boston Colonial Pavers™	6 cm	◆	◆	◆	◆	◆	◆	◆		◆			
	8 cm		◆				◆						
BrookStone™	7 cm	◆				◆	◆			◆			
BullNose Coping™ Paver	6 cm		◆			◆	◆						
Classico Retro™	6 cm	◆								◆			
FineLine™	All styles		◆			◆	◆						
Georgetown Colonial Pavers™	6 cm		◆			◆	◆						
MillStone™	All styles		◆			◆	◆						
Newport Cobble™	Rectangle					◆	◆						
Plaza Pavers™	All styles		◆										
Slate-Top Slab™	2.25"									◆	◆	◆	
StraightLine™*	10 cm								◆	◆		◆	
Symetry™	Master Stone		◆										
	Square	6 cm	◆			◆							
Town N' Country™	All styles		◆			◆	◆						
Turfstone™	8 cm									◆			
	10 cm												
Uni-Decor®	6 cm		◆			◆							
Uni Eco-Stone®	8 cm						◆						
Yankee Cobble™	All styles	Sq&LgR ◆	◆		◆	◆	◆						
Z-Stone™ & Uni-Anchorlock®	8 cm												
Walls & Coping			C	P	GG	VB	QB	RWB	Slate Grey				
Ancestral™ WallStone						◆	◆	◆					
Fat Face™ Standard					◆	◆	◆						
Fat Face™ - 2/3 Scored					◆	◆	◆						
GravityStone® Split Face					◆	◆	◆						
GravityStone® Tumbled Face													
Olde Boston™ Wall		◆	◆			◆	◆	◆					
Pisa 2°					◆	◆	◆						
Roman Pisa®						◆	◆	◆					
Stonewall™ & Stonewall™ Straight Face					Curved/Straight Face	Curved/Straight Face	Straight Face						
Stonewall™ Tumbled						◆	◆						
Ancestral™ Coping						◆	◆	◆					
Roman Pisa® Coping						◆	◆	◆					
Universal Coping Stone					◆	◆	◆						
CastStone™ Rockface Coping									◆				
Garden Products/Outdoor Living						VB	QB	RWB	Slate Grey				
CurbStone Edging						◆	◆						
ScapeStone™ Fire Pit Block			FP			◆	◆	◆					
			XL			◆	◆						
Chelmsford™ Pillar Caps									◆				
Carlisle™ Pillar Caps									◆				
CastStone Round & Square Fire Pit Coping									◆				
CastStone Patio/Pub Table Square or Octo Top									◆				
Steps						Slate Grey			Fieldstone Blend				
Chelmsford™ Step						◆							
Rockport™ Step									◆				

**Manufactured Colors**

BHB = Beacon Hill Blend    GG = Granite Gray    C = Charcoal    HB = Harvest Blend    QB = Quarry Blend    VB = Vineyard Blend    OG = Oxford Grey  
 CR = Clay Red    AB = Autumn Blend    GB = Graphite Black    RWB = Rosewood Blend    P = Pewter    CB = Chatham Blend    RIB = Richfield Blend

◆ Product is regularly produced in these colors    □ Product is available on a Made to Order basis. Call for lead time.    □ Product is not available in these colors.

Check with our Sales Office for additional pricing information for products offered on a Made to Order basis or in a Special Color.

**Inter-Blend Colors: Inter-Blend Colors are created by mixing our standard colors together at the jobsite.**

Adams Blend 2 BHB: 1 CR • Berkley Blend 5 BHB: 1 QB • Charles River Blend 2 CR: 1 AB • City Blend 4 CR: 3 BHB  
 Copley Blend 7 CR: 3 BHB • Exeter Blend 2 AB: 1 BHB • Gloucester Blend 1 VB: 1 QB • Lexington Blend 3 CR: 2 AB

\* Andover Collection, GrandStone and 5511 and StraightLine are available with



Waltham and Westford, MA • 781-894-3200  
 info@IdealConcreteBlock.com • IdealConcreteBlock.com